

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
14 October 2004 (14.10.2004)

PCT

(10) International Publication Number  
**WO 2004/088076 A1**

(51) International Patent Classification<sup>7</sup>: E05G 1/00,  
A45B 3/00, 23/00

(21) International Application Number:  
PCT/TR2003/000026

(22) International Filing Date: 1 April 2003 (01.04.2003)

(25) Filing Language: Turkish

(26) Publication Language: English

(71) Applicant and

(72) Inventor: BAYDUR, Ertugrul [TR/TR]; Fener Mh. 1964  
Sk., 1. Gebiz Sitesi N°5, 07000 Antalya (TR).

(74) Agent: ANKARA PATENT BUREAU LIMITED;  
Kavaklidere, Bestekar Sokak No. 10, 06680 Ankara (TR).

(81) Designated States (national): AE, AG, AL, AM, AT, AU,  
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,

CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,  
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,  
LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW,  
MX, MZ, NI, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD,  
SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US,  
UZ, VC, VN, YU, ZA, ZM, ZW.


(84) Designated States (regional): ARIPO patent (GH, GM,  
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),  
Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),  
European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE,  
ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO,  
SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM,  
GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: A SETUP COMPRISING AN UMBRELLA AND A SAFE



(57) Abstract: The invention relates to an apparatus designed to be used at holiday resorts and beaches. The apparatus (1) subject to this invention, basically involves an umbrella (2) and a stem (4) supporting said umbrella (2); and is characterized by a body (6) around said stem and which houses several accessories, an electronic safe (7) in said body (6), and a control panel (8) used to control said accessories and said safe. In preferred embodiment of the invention, necessary electric power is supplied via one or more sun collectors (3) on the umbrella (2).

WO 2004/088076 A1

3/pets.  
JC20 Rec'd PCT/PTO 30 SEP 2005**A SETUP COMPRISING AN UMBRELLA AND A SAFE**

The present invention is related to a setup comprising an umbrella with solar collectors and various accessories, particularly a safe powered by electric power obtained from said collectors.

5 In the state of the art, umbrellas are used for protection against precipitation as well as sunbeams. Especially at the beaches, umbrellas are mounted either to a table or to sunbeds.

As people who want to spend a day at the beach have to take some personal belongings such as a radio, walkman, etc., they need to store their  
10 belongings and valuables in a safe place when they go swimming.

In the state the art, in order to attribute more functions to umbrellas, many solutions have been offered. For instance, 6,487,977 U.S. patent discloses a setup comprising an umbrella and a table plate. 2002/0078985 U.S. patent describes an umbrella having a cold water compartment. 374,839 U.S. patent describes an  
15 umbrella having a heat insulated locker underneath. Top of said locker is used as a table. 5,878,762 U.S. patent discloses a setup kept in a bag comprising a tray mounted to the handle to put glasses and other articles. However, none of these documents disclose a setup to store the valuables and belongings safely.

A setup comprising an umbrella and a safe is mentioned in U.S. Patent  
20 No.6,082,157. Here, a safe having a cover at the top and a padlock mounted to the handle of the umbrella by means of inserts provided at the side is described. A stick located below the safe enables penetration of this latter into sand and thus supports the umbrella. However, the safe is not appropriate to take on any further function as far as its design is concerned.

25 Of documents already known in the art, 93/00840 PCT application describes an umbrella having solar collectors on its upper face and a lamp, alarm devices, radio, etc, which are made operational by means of electric power obtained from such solar collectors. 4,193,389 U.S. patent, discloses a setup having solar collectors at its concave inner surface to make coffee by the power

obtained from such collectors. But, to do so, umbrella must be turned upside down. When used straight, the setup functions like a common umbrella.

The object of the present invention is to realize a setup providing means to user such as keeping belongings safety enabling listening to music and at the same  
5 time functioning as an umbrella.

The setup comprising an umbrella and a safe realized to attain the object of the invention has been illustrated in the attached drawings wherein;

Figure 1 is a perspective view of the setup;

Figure 2 is a side view of the setup;

10 Figure 3 is the top view of the bedplate;

Figure 4 is the top view of the body of the umbrella;

Figure 5 is the cross-sectional view of the body of the umbrella.

The components shown in the drawings have been numbered as follows :

1. Setup
- 15 2. Umbrella
3. Solar collector
4. Handle
5. Bedplate
6. Body
- 20 7. Safe
8. Control panel
9. Menu
10. Radio
11. Loud speaker

- 12. Grid
- 13. Ashtray
- 14. Profile
- 15. inserts
- 5 16. Drawer
- 17. Lamp
- 18. Hanger
- 19. Litter box

The setup (1) according to this invention comprises an umbrella (2) and a handle (4) supporting the umbrella and characterized by a body (6) through which the handle (4) passes and houses various accessories below the umbrella (2), one or more electronic safes (7) inside the body (6) and a control panel (8) used to control the safe and other accessories.

In an embodiment of the invention, power required to operate the electronic safe and accessories located on the body is obtained from power sources acting independent such as batteries or cells located inside the body (6). In the preferred embodiment of the invention, power is obtained from one or more solar collectors (3) located on the umbrella (2) and transmitted by means of conductors to the electronic safe and to accessories located on the body. In another embodiment of the invention, both solar collectors and cell/battery can be utilized.

The umbrella (2) is manufactured from a multilayer material such as fabric, plastic, wood, etc. of width sufficient to protect the user from both sunbeams and rain. The umbrella may be of any shape such as oval, triangular, rectangular or circular. The multilayer material may be reinforced by a frame made of a solid material.

The handle (4) supports the umbrella and ensures it to be fixed into ground. Moreover, the body (6) may also be mounted onto the handle. If the umbrella is intended to be fixed into sand, the tip of the handle is made pointed. In order to use the setup on grounds other than soft sands, in the preferred embodiment of the invention, the handle (4) is located onto a bedplate (5) manufactured of solid material. However, it is preferred to have a bedplate formed by casting concrete into a mould. An ashtray (13) is provided on this bedplate. Said ashtray is in the form a holder covered with a grid (12). However, said ashtray (13) may be formed as a drawer to be slid into the insert from the side to provide easy cleaning.

Solar collectors (3) are placed onto the upper face of the umbrella to form vertical angle of 90 degrees to receive sunbeams at any time in the course of a day. In order to eliminate the imbalance of the umbrella due to the presence of the solar collectors, are mounted to the centre of the umbrella by connecting with the handle. Electrical power obtained from collectors are transmitted to the accessories located on the body by means of conductors passing through the handle.

The body (6) has a side wall joining the edges of upper and lower walls laid parallel to each other. Safe (7), accessories such as radio, cassette player (10), load speaker (11) are located inside this inner part surrounded by the walls of the body and access to such accessories is provided from those walls. The body (6) is mounted to the handle (4) at a specific height. It is preferred that this height be, for instance, in the range of 20 to 90 cm, which is common for a table or a coffee table. Again, on this upper table, there are holders (15) in various shapes and sizes to place glasses and containers for beverages and food. On side walls, drawers are installed at appropriate locations. Control panel (8) fixed on side wall of the body enables to command and control the accessories such as radio, cassette player placed inside the body and to enter codes required to open the safe (7).

In the preferred embodiment of the present invention, there is a menu (9) having two or more side walls on the handle (4). Thanks to its multiple side walls, contents of the subject menu (9) can be read from all over the body.

5 In another embodiment of the invention, a lamp connected to the control panel is provided. This lamp is utilized to call waiter by pushing a button on the panel (8).

In another embodiment of the invention, products (9) are encoded in the menu and a transmitter connection with the control panel (8) is provided inside the body. In this way, the code of a product selected from the menu is transmitted to  
10 the control panel to send an order signal to a receiver present at service centre.

In another embodiment of the present invention, the setup of the invention comprises a hanger, placed underneath the body to dry wet swimsuits. Such a hanger (18) may be designed either as a fixed piece or in the form of a bar moving back and forth by sliding within a rail. In another embodiment of the invention,  
15 the hanger may have a telescopic structure formed of drawtubes

In addition a litter box (19) that can be opened by pulling back exists under the body (6). This box (19) may be in the form of a drawer attached to rails with the open end located below the body.

In another embodiment of the present invention, the body is mounted to a  
20 sunbed or is manufactured in the form of a sunbed.

The preferred embodiment of the subject setup is as follows: The handle (4) fixed over a bedplate of heavy concrete (5) carries the body (6) located at an approximate height of 30 to 40 cm from ground. On the upper tip of the handle, there is an umbrella (2) in hexagonal shape. On top of the umbrella, solar  
25 connectors (3) are provided. Electrical power obtained from those collectors is transmitted to the electronic safe (7), control panel (8), radio (10) and loud speakers (11), and to the bulb (17) located on the umbrella by means of wires passing through the handle. There are holders to locate glasses and bottles for beverages on the body and a hanger to hang clothes under the body. When the

user wishes to leave to go swimming he opens the safe by using his own code and puts his belongings in there. After he swims, he can hang his wet swimsuit. As he wishes to call the waiter, he lights up the lamp using the control panel.

5 The setup of the present invention has been designed particularly to be used as an umbrella and table at beaches. Electronic safe placed inside the body (6) provides the user to store the valuables safely. Accessories powered by solar collectors are advantageous. Furthermore, as the base is heavy, it is not likely that the set up is hit down by strong winds.

10 While the invention has been particularly shown and described with reference to preferred embodiments thereof, it will be understood that the invention is as explained in the claims.

**CLAIMS**

1. A setup comprising an umbrella (2) and a handle (4) supporting the umbrella, characterized in that the umbrella (2) has a body (4) through which the handle passes (6), inside which body in number one or more electronic safe (7), and a control panel to control and command accessories located inside said body.  
5
2. The setup as claimed in claim 1 characterized by an independent source of power such as cells, batteries located inside the body (6) to obtain power required to operate accessories and electronic safe located inside the body.
- 10 3. The setup according claim 1 to 2 characterized by its having solar collectors located onto the umbrella (2) to obtain power required to operate accessories and electronic safe inside body.
4. The setup according to claim 1, 2 or to 3 characterized by a handle (4) having a sharp tip to fix the umbrella into ground.
- 15 5. The setup according to claim 1, 2 or to 3 characterized by a bedplate manufactured of heavy material to insert the handle (4).
6. The setup according claim 5 characterized by a bedplate formed of concrete poured into a mould manufactured of profile iron.
7. The setup according to claim 5 and 6 characterized by a bedplate comprising an ashtray (13) in the shape of a holder top of which is covered with a grid.  
20
8. The setup in conformity with claim 7 characterized by a bedplate (13) having an ashtray embedded into said holder by being pushed to a side.
9. The setup as claimed in any one of the claims 3 to 8 characterized by solar  
25 collectors (3) located to form an angle with vertical and to cover a surface area of 360 degrees on top of the umbrella.




10. The setup as claimed in claim 9 characterized by solar collectors (3) mounted onto the umbrella by securing their connections to handle to eliminate the imbalance of the umbrella.
- 5 11. The setup as claimed in any one of the claims mentioned above characterized by its having a body (6) mounted to the handle and comprising further upper and a lower walls laying parallel to each other and a side wall joining the edges of such walls.
- 10 12. The setup as claimed in claim 11 characterized by its having a body mounted onto the handle at a specific height to use the upper wall as a table.
13. The setup as claimed in claim 11 and 12 characterized in that holders of different shapes and sizes are provided on top of the body to place glasses and containers for food and beverage.
- 15 14. The setup as claimed in any one of the claims mentioned above characterized in that the body comprises embedded drawers at its side walls.
15. The setup as claimed in any one of the claims mentioned above characterized in that the body (6) houses accessories such as radio and cassette player.
- 20 16. The setup as claimed in any one of the claims mentioned above characterized in that the handle (4) has a menu (9) on it with two or more side walls.
- 25 17. The setup as claimed in any one of the claims mentioned above characterized in that it has an umbrella having a bulb (17) on it linked to the control panel (8).
18. The setup as claimed in any one of the claims mentioned above characterized in that the body is connected to the control panel (8) and has

a transmitter capable of conveying a signal to a receiver situated at a remote point.

19. The setup as claimed in any one of the claims mentioned above characterized in that a hanger (18) is located under the body (6).
- 5 20. The setup as claimed in claim 19 characterized in that the body (6) comprises a fixed hanger (18)
21. The setup as claimed in claim 19 characterized in that the body includes a hanger in the form of a bar moving along a rail.
22. The setup as claimed in claim 19 characterized in that the body (6)  
10 comprises a hanger having a telescopic structure formed of drawtubes.
23. The as claimed in any one of the claims mentioned above characterized in that the body houses a litter box (19) underneath.
24. The setup claimed in claim 23 characterized in that the body comprises a  
15 litter box (19) in the shape of a drawer mounted on rails with open end below body.
25. The setup as claimed in any one of the claims mentioned above characterized in that the body (6) is mounted to a sunbed.
26. The setup as claimed in any one of the claims mentioned above characterized in that the body is shaped as a sunbed.

Figure 1



### Figure 2




Figure 3




Figure 4





Figure 5



International Application No  
PCT/TR 03/00026

According to International Patent Classification (IPC) or to both national classification and IPC

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 E05G A45B

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the International search (name of data base and, where practical, search terms used)

EPO-Internal

### C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 5 143 108 A (KENNEY ROBERT J) 1 September 1992 (1992-09-01) column 2, line 36 -column 3, line 20 figures ---	1-6,9-26
Y	US 6 279 359 B1 (BOISVERT DAVID P) 28 August 2001 (2001-08-28)  column 1, line 11 - line 16 column 2, line 44 - line 46 figures 1,2 ---	1,2,4, 11-15, 23,24
Y	FR 2 678 811 A (PERRIER NOEL; SOUCHKO ALEXANDRE (FR)) 15 January 1993 (1993-01-15) the whole document ---	3,5,6,9, 10
	--- -/--	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

<sup>o</sup> Special categories of cited documents :

- \*A\* document defining the general state of the art which is not considered to be of particular relevance
- \*E\* earlier document but published on or after the international filing date
- \*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- \*O\* document referring to an oral disclosure, use, exhibition or other means
- \*P\* document published prior to the international filing date but later than the priority date claimed

- \*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- \*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- \*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- \*G\* document member of the same patent family

Date of the actual completion of the international search

10 November 2003

Date of mailing of the international search report

25/11/2003

Name and mailing address of the ISA  
European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax (+31-70) 340-3016

Authorized officer

**Mund, A**

# INTERNATIONAL SEARCH REPORT

International Application No

PCT/TR 03/00026

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	NL 1 003 688 C (ALBERT RENE SMINK) 28 January 1998 (1998-01-28) figures	16
Y	US 4 505 285 A (FRENCH ERROL J) 19 March 1985 (1985-03-19) column 4, line 25 - line 28 figure 4	17
Y	DE 101 36 907 A (HUPP HUBERT; MERTENS FRANK (DE); KAUL MICHAEL (DE)) 20 February 2003 (2003-02-20) column 2, line 36 - line 38 claims 1-3	18
Y	FR 1 432 491 A (TAMBORINI LEONARDO S P A) 18 March 1966 (1966-03-18) page 2, line 26 - line 29 figure 1	19-22
Y	FR 1 490 621 A (DABROWSKI ÉDOUARD ) 17 November 1967 (1967-11-17) figure 1	25,26
A	US 5 197 394 A (SCHMIDT BRIGITTA C) 30 March 1993 (1993-03-30) column 4, line 61 - line 66	7,8

# INTERNATIONAL SEARCH REPORT

International application No.

PCT/TR 03/ 00026

## Box III TEXT OF THE ABSTRACT (Continuation of item 5 of the first sheet)

The invention relates to an apparatus designed to be used at holiday resorts and beaches. The apparatus (1) subject to this invention, basically involves an umbrella (2) and a stem (4) supporting said umbrella (2); and is characterized by a body (6) around said stem and which houses several accessories, an electronic safe (7) in said body (6), and a control panel (8) used to control said accessories and said safe. In preferred embodiment of the invention, necessary electric power is supplied via one or more sun collectors (3) on the umbrella (2).



# INTERNATIONAL SEARCH REPORT

International Application No

PCT/TR 03/00026

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 5143108	A	01-09-1992	NONE
US 6279359	B1	28-08-2001	NONE
FR 2678811	A	15-01-1993	FR 2678811 A1 WO 9300840 A1
			15-01-1993 21-01-1993
NL 1003688	C	28-01-1998	NL 1003688 C1
			28-01-1998
US 4505285	A	19-03-1985	NONE
DE 10136907	A	20-02-2003	DE 10136907 A1
			20-02-2003
FR 1432491	A	18-03-1966	NONE
FR 1490621	A	17-11-1967	NONE
US 5197394	A	30-03-1993	DE 8914512 U1 EP 0432576 A2
			29-03-1990 19-06-1991